

# WAGON TYPE Sggmrss 90´

## 6-AXLE ARTICULATED WAGON



EUROWAGON

### General information

The wagon is suitable for transportation of ISO 20´, 30´, 40´, 45 long containers and swap bodies.



### Technical specification


Track Gauge	1 435 mm	Length over buffers	29 590 mm
Tare	28,3 t +/- 2%	Loading length	2 x 13 820 mm
Maximal weight of loaded wagon	135 t	Distance between bogie pivots	2 x 12 025 mm
Maximal loading weight	106,7 t	Height of loading plane for containers and swap bodies above top of rail	1 155
Max. axle load	22,5 t	Max. operational speed at 22,5 t axle load	100 km/h
Height of buffer axis above top of rail	1 025 mm	Type of bogie	3 x Y25 LsI-K

### Payload table

	A	B	C	D
S	67,7	79,7	94,7	106,7
SS	67,7	79,7	91,7	91,7

# WAGON TYPE Sggmrss 90´

## 6-AXLE ARTICULATED WAGON



[www.euro-wagon.com](http://www.euro-wagon.com) | [contact@euro-wagon.com](mailto:contact@euro-wagon.com)


EUROWAGON sp. z o.o.



# WAGON TYPE Sggmrs 90´

## 6-AXLE ARTICULATED WAGON

Indicative Loading Scheme: for information only



[www.euro-wagon.com](http://www.euro-wagon.com) | [contact@euro-wagon.com](mailto:contact@euro-wagon.com)

EUROWAGON sp. z o.o.